



P: 1300 688 522
E: info@nutripath.com.au
A: PO Box 442 Ashburton VIC 3142

TEST PATIENT

Sample Test Name
Sex : F
Date Collected : 00-00-0000
111 TEST ROAD TEST SUBURB
LAB ID: 00000000 UR#:0000000

TEST PHYSICIAN

DR JOHN DOE
111 CLINIC STREET
CLINIC SUBURB VIC 3000

INTEGRATIVE MEDICINE

SWAB, NASAL Result Range Units

MARCoNS SWAB

OVERALL RESULT: MARCoNS POSITIVE

ORGANISM #1: STAPH COAG NEGATIVE: LARGE AMOUNT

SUSCEPTIBILITY #1:

CIPROFLOXACIN	S	
CLINDAMYCIN	S	
ERYTHROMYCIN		R
GENTAMICIN	S	
LEVOFLOXACIN	S	
LINEZOLID	S	
MOXIFLOXACIN	S	
OXACILLIN (METHICILLIN)	S	
PENICILLIN-G		R
QUINUPRISTIN/DALFO	S	
RIFAMPICIN	S	
TETRACYCLINE (DOXYCYCLINE)	S	
TIGECYCLINE	S	
TRIMETHOPRIM/SULFA	S	
VANCOMYCIN	S	

KEY:
S=Sensitive I=Intermediate R=Resistant

ORGANISM #2 ENTEROBACTER AEROGENES-LARGE AMOUNT

SUSCEPTIBILITY #2:

AMIKACIN	S	
CEFAZOLIN		R
CEFEPIME	S	
CEFOXITIN		R
CEFTAZIDIME	S	
CEFTRIAZONE	S	
CIPROFLOXACIN	S	
ERTAPENEM	S	
GENTAMICIN	S	
IMIPENEM	S	
LEVOFLOXACIN	S	
PIPERCILLIN/TAZOBACTAM	S	
TIGECYCLINE	S	
TRIMETHOPRIM/SULFA	S	

KEY:
S=Sensitive I=Intermediate R=Resistant



P: 1300 688 522
E: info@nutripath.com.au
A: PO Box 442 Ashburton VIC 3142

TEST PATIENT

Sample Test Name
Sex : F
Date Collected : 00-00-0000
111 TEST ROAD TEST SUBURB
LAB ID: 00000000 UR#:0000000

TEST PHYSICIAN

DR JOHN DOE
111 CLINIC STREET
CLINIC SUBURB VIC 3000

COMMENT:

MARCoNS is a multiple antibiotic resistant coag negative staph that resides in the deep nasal passages. It is common in biotoxin illness, is a marker of low MSH and produces biofilms which form a barrier to immune defenses and anti-infection therapy. Biofilm production in bacteria, mold or yeast may account for some cases of chronic nasal and sinus congestion and inflammation. MARCoNS releases exotoxins which lead to increased inflammation (decreased MSH) and hemolysins which disrupt RBCs and endothelial cells. It may be colonized or cause infection.

If test results indicate coag neg staph is present with two or more antibiotics showing Resistant or Intermediate susceptibility, these results are classified as MARCoNS whether Methicillin is resistant or not and whether there is a large amount or small amount. (Ref: Dr. Ritchie Shoemaker, 05/09/14)

NO YEASTS OR MOULD-LIKE FUNGI ISOLATED.

TEST PATIENT

Dr.TEST DOCTOR



P: 1300 688 522
E: info@nutripath.com.au
A: PO Box 442 Ashburton VIC 3142

Date of Birth : 01-Jan-1962
Sex : F
Collected : 30/Jun/2021
Received: 30/Jun/2021
123 TEST STREET
BURWOOD VIC 3125
Lab id : **3750385** UR#:

TEST HEALTH CENTRE
123 TEST STREET
BURWOOD VIC 3125

ENVIRONMENTAL ANALYSIS

SWAB, NASAL

MARCoNS Fungal Elements

Result	Range	Units
ORGANISM 1:	NO YEAST OR MOULD FUNGI	ISOLATED

