

**TEST PATIENT****Dr TEST DOCTOR**

P: 1300 688 522  
 E: info@nutripath.com.au  
 A: PO Box 442 Ashburton VIC 3142

Date of Birth : 10-Aug-1954  
 Sex : F  
 Collected : 06-Mar-2017  
 1 TEST STREET  
 MELBOURNE 3004  
 Lab id: **3470072** UR# :

TEST HEALTH CENTRE  
 123 TEST STREET  
 BURWOOD VIC 3125

**BIOCHEMISTRY**

BLOOD - SERUM

**25 OH VITAMIN D****Vitamin D Comment**

Result	Range	Units
<b>49 *L</b>	50 - 250	nmol/L



The Working Group of the Australian and New Zealand Bone and Mineral Society, Endocrine Society of Australia and Osteoporosis Australia have recommended that the Vitamin D level should be greater than 50 nmol/L.

**BIOCHEMISTRY**

BLOOD - SERUM

**1-25 OH VITAMIN D**

Result	Range	Units
<b>70.0</b>	60.0 - 208.0	pmol/L



Tests ordered: VITD,VITD 1-25  
 (\*) Result outside normal reference range

(L) Result is below lower limit of reference range



# NutriPATH

Phone: 1300 688 522

.....H9GH'D5H=9BH

Date of Birth : 04-Dec-1992  
Sex : F  
Collected : 10-Feb-2015

Lab id: **3379388** UR#:

H9GH'8C7HCF

TEST CLINIC  
STREET 101  
SUBURB  
WA 6011

## BIOCHEMISTRY

BLOOD - SERUM

**25 OH VITAMIN D**

**Vitamin D Comment**

Result	Range	Units
<b>51</b>	50 - 250	nmol/L



The Working Group of the Australian and New Zealand Bone and Mineral Society, Endocrine Society of Australia and Osteoporosis Australia have recommended that the Vitamin D level should be greater than 50 nmol/L.